

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : 2-Ethyl-1-hexanol

Product Number : W315109  
Brand : Aldrich

Supplier : Sigma-Aldrich  
3050 Spruce Street  
SAINT LOUIS MO 63103  
USA

Telephone : +1 800-325-5832  
Fax : +1 800-325-5052  
Emergency Phone # (For both supplier and manufacturer) : (314) 776-6555

Preparation Information : Sigma-Aldrich Corporation  
Product Safety - Americas Region  
1-800-521-8956

---

**2. HAZARDS IDENTIFICATION****Emergency Overview****OSHA Hazards**

Combustible Liquid, Target Organ Effect, Harmful by skin absorption., Irritant

**Target Organs**

Liver, Kidney

**GHS Classification**

Flammable liquids (Category 4)  
Acute toxicity, Oral (Category 5)  
Acute toxicity, Dermal (Category 4)  
Skin irritation (Category 2)  
Serious eye damage (Category 1)  
Specific target organ toxicity - single exposure (Category 3)  
Acute aquatic toxicity (Category 3)

**GHS Label elements, including precautionary statements**

Pictogram



Signal word

Danger

Hazard statement(s)

H227 Combustible liquid  
H303 May be harmful if swallowed.  
H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H402 Harmful to aquatic life.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P280 Wear protective gloves/ eye protection/ face protection.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**HMIS Classification**

**Health hazard:** 2  
**Chronic Health Hazard:** \*  
**Flammability:** 2  
**Physical hazards:** 0

**NFPA Rating**

**Health hazard:** 2  
**Fire:** 2  
**Reactivity Hazard:** 0

**Potential Health Effects**

**Inhalation** May be harmful if inhaled. Causes respiratory tract irritation.  
**Skin** Causes skin irritation.  
**Eyes** Causes eye irritation.  
**Ingestion** May be harmful if swallowed.

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Synonyms : Isooctyl alcohol

Formula : C<sub>8</sub>H<sub>18</sub>O

Molecular Weight : 130.23 g/mol

Component	Concentration
<b>2-Ethylhexan-1-ol</b>	
CAS-No. 104-76-7	-
EC-No. 203-234-3	

---

**4. FIRST AID MEASURES**

**General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

**If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In case of skin contact**

Wash off with soap and plenty of water. Consult a physician.

**In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

---

**5. FIREFIGHTING MEASURES**

**Conditions of flammability**

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

**Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Special protective equipment for firefighters**

Wear self contained breathing apparatus for fire fighting if necessary.

### **Hazardous combustion products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides

### **Further information**

Use water spray to cool unopened containers.

---

## **6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### **Methods and materials for containment and cleaning up**

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

---

## **7. HANDLING AND STORAGE**

### **Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

### **Conditions for safe storage**

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

---

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Contains no substances with occupational exposure limit values.

### **Personal protective equipment**

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Hand protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Immersion protection

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm

Break through time: > 480 min

Material tested: Camatril® (Aldrich Z677442, Size M)

#### Splash protection

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: > 30 min

Material tested: Dermatril® (Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**Eye protection**

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**Skin and body protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES****Appearance**

Form	liquid
Colour	no data available

**Safety data**

pH	no data available
Melting point/freezing point	Melting point/range: -76 °C (-105 °F) - lit.
Boiling point	183 - 186 °C (361 - 367 °F) - lit.
Flash point	81 °C (178 °F) - closed cup
Ignition temperature	288 °C (550 °F)
Autoignition temperature	no data available
Lower explosion limit	0.88 %(V)
Upper explosion limit	9.7 %(V)
Vapour pressure	0.3 hPa (0.2 mmHg) at 20 °C (68 °F)
Density	0.833 g/cm <sup>3</sup> at 25 °C (77 °F)
Water solubility	no data available
Partition coefficient: n-octanol/water	no data available
Relative vapour density	4.5 - (Air = 1.0)
Odour	no data available
Odour Threshold	no data available
Evaporation rate	no data available

---

**10. STABILITY AND REACTIVITY****Chemical stability**

Stable under recommended storage conditions.

**Possibility of hazardous reactions**

no data available

**Conditions to avoid**

Heat, flames and sparks.

**Materials to avoid**

Strong acids, Strong oxidizing agents

## Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - no data available

---

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

#### Oral LD50

LD50 Oral - rat - 3,730 mg/kg

Remarks: Brain and Coverings:Recordings from specific areas of CNS. Behavioral:Somnolence (general depressed activity). Lungs, Thorax, or Respiration:Dyspnea.

#### Inhalation LC50

#### Dermal LD50

LD50 Dermal - rabbit - 1,970 mg/kg

#### Other information on acute toxicity

no data available

### Skin corrosion/irritation

Skin - rabbit - Skin irritation - 24 h

### Serious eye damage/eye irritation

Eyes - rabbit - Severe eye irritation

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

Reproductive toxicity - mouse - Oral

Effects on Fertility: Litter size (e.g.; # fetuses per litter; measured before birth). Effects on Newborn: Live birth index (# fetuses per litter; measured after birth). Effects on Newborn: Growth statistics (e.g., reduced weight gain).

no data available

### Teratogenicity

Developmental Toxicity - rat - Oral

Specific Developmental Abnormalities: Musculoskeletal system. Specific Developmental Abnormalities: Urogenital system.

no data available

### Specific target organ toxicity - single exposure (Globally Harmonized System)

Inhalation - May cause respiratory irritation.

### Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

**Aspiration hazard**

no data available

**Potential health effects**

<b>Inhalation</b>	May be harmful if inhaled. Causes respiratory tract irritation.
<b>Ingestion</b>	May be harmful if swallowed.
<b>Skin</b>	Causes skin irritation.
<b>Eyes</b>	Causes eye irritation.

**Signs and Symptoms of Exposure**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

**Synergistic effects**

no data available

**Additional Information**

RTECS: Not available

---

**12. ECOLOGICAL INFORMATION****Toxicity**

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 28.2 mg/l - 96.0 h
Toxicity to algae	Growth inhibition EC50 - Chlorella emersonii - 10 - 50 mg/l - 48 h

**Persistence and degradability**

no data available

**Bioaccumulative potential**

no data available

**Mobility in soil**

no data available

**PBT and vPvB assessment**

no data available

**Other adverse effects**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

---

**13. DISPOSAL CONSIDERATIONS****Product**

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

**Contaminated packaging**

Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****DOT (US)**

NA-Number: 1993 Class: CBL Packing group: III  
Proper shipping name: Combustible liquid, n.o.s. (2-Ethylhexan-1-ol)  
Marine pollutant: No  
Poison Inhalation Hazard: No

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

---

**15. REGULATORY INFORMATION**

**OSHA Hazards**

Combustible Liquid, Target Organ Effect, Harmful by skin absorption., Irritant

**SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**SARA 311/312 Hazards**

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components**

	CAS-No.	Revision Date
2-Ethylhexan-1-ol	104-76-7	1993-04-24

**Pennsylvania Right To Know Components**

	CAS-No.	Revision Date
2-Ethylhexan-1-ol	104-76-7	1993-04-24

**New Jersey Right To Know Components**

	CAS-No.	Revision Date
2-Ethylhexan-1-ol	104-76-7	1993-04-24

**California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

**16. OTHER INFORMATION****Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

---