

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 04/28/2009

Reviewed on 03/05/2009

**1 Identification of substance:****Product details:****Product name:** 2-Chloroethyl methacrylate**Stock number:** L09783**Manufacturer/Supplier:**

Alfa Aesar, A Johnson Matthey Company  
 Johnson Matthey Catalog Company, Inc.  
 30 Bond Street  
 Ward Hill, MA 01835-8099  
 Emergency Phone: (978) 521-6300  
 CHEMTREC: (800) 424-9300  
 Web Site: www.alfa.com

**Information Department:** Health, Safety and Environmental Department**Emergency information:**

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

**2 Composition/Data on components:****Chemical characterization:****Description: (CAS#)**

2-Chloroethyl methacrylate (CAS# 1888-94-4): 100%

**Identification number(s):****EINECS Number:** 217-566-1**Additional information:** Stabilized with 500ppm Hydroquinone**3 Hazards identification****Hazard description:**

T Toxic

**Information pertaining to particular dangers for man and environment**

R 23/25 Toxic by inhalation and if swallowed.

R 36/37/38 Irritating to eyes, respiratory system and skin.

**Classification system****HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

HEALTH	3
FIRE	2
REACTIVITY	1

Health (acute effects) = 3

Flammability = 2

Reactivity = 1

**GHS label elements**

Danger

3.1/2 - Fatal if swallowed.

3.1/2 - Fatal if inhaled.

3.2/2 - Causes skin irritation.

3.3/2A - Causes serious eye irritation.

3.8/3 - May cause respiratory irritation.

**Warning**

2.6/4 - Combustible liquid.

**Prevention:**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not breathe dust/fume/gas/mist/vapours/spray.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Wear respiratory protection.

**Response:**

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

USA

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 04/28/2009

Reviewed on 03/05/2009

**Product name: 2-Chloroethyl methacrylate**

(Contd. of page 1)

Immediately call a POISON CENTER or doctor/physician.  
 Call a POISON CENTER or doctor/physician if you feel unwell.  
 Specific treatment is urgent (see label).  
 Specific treatment (see label).  
 Rinse mouth.  
 If skin irritation occurs: Get medical advice/attention.  
 If eye irritation persists: Get medical advice/attention.  
 Take off contaminated clothing and wash before reuse.  
 In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.

**Storage:**

Store in a well-ventilated place. Keep container tightly closed.  
 Store in a well-ventilated place. Keep cool.  
 Store locked up.

**Disposal:**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**4 First aid measures****General information**

Immediately remove any clothing soiled by the product.  
 Remove breathing apparatus only after contaminated clothing has been completely removed.  
 In case of irregular breathing or respiratory arrest provide artificial respiration.

**After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.  
 Seek immediate medical advice.

**After skin contact**

Immediately wash with water and soap and rinse thoroughly.  
 Seek immediate medical advice.

**After eye contact**

Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing**

Do not induce vomiting; immediately call for medical help.  
 Seek immediate medical advice.

**5 Fire fighting measures****Suitable extinguishing agents**

Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**Special hazards caused by the material, its products of combustion or resulting gases:**

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Hydrogen chloride (HCl)

**Protective equipment:**

Wear self-contained respirator.

Wear fully protective impervious suit.

**6 Accidental release measures****Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

**Measures for environmental protection:**

Do not allow material to be released to the environment without proper governmental permits.

**Measures for cleaning/collecting:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

**Additional information:**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**7 Handling and storage****Handling****Information for safe handling:**

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

(Contd. on page 3)

USA

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 04/28/2009

Reviewed on 03/05/2009

**Product name: 2-Chloroethyl methacrylate**

(Contd. of page 2)

Open and handle container with care.

**Information about protection against explosions and fires:** Keep ignition sources away.**Storage****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:** Store away from oxidizing agents.**Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

**8 Exposure controls and personal protection****Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

**Components with limit values that require monitoring at the workplace:** Not required.**Additional information:** No data**Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

**Breathing equipment:** Use suitable respirator when high concentrations are present.**Protection of hands:**

Impervious gloves

Check protective gloves prior to each use for their proper condition.

**Material of gloves**

The selection of suitable gloves not only depends on the material, but also on quality.

Quality will vary from manufacturer to manufacturer.

**Eye protection:** Safety glasses**Body protection:** Protective work clothing.**9 Physical and chemical properties:****General Information**

<b>Form:</b>	Liquid
<b>Color:</b>	Colorless
<b>Odor:</b>	Not determined

**Change in condition**

<b>Melting point/Melting range:</b>	Not determined
<b>Boiling point/Boiling range:</b>	170°C (338°F)
<b>Sublimation temperature / start:</b>	Not determined

**Flash point:** 69°C (156°F)**Ignition temperature:** Not determined**Decomposition temperature:** Not determined**Danger of explosion:** Product does not present an explosion hazard.**Explosion limits:**

<b>Lower:</b>	Not determined
<b>Upper:</b>	Not determined

**Vapor pressure:** Not determined**Density:** Not determined**Solubility in / Miscibility with****Water:** Not miscible or difficult to mix**10 Stability and reactivity****Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

**Materials to be avoided:** Oxidizing agents**Dangerous reactions** No dangerous reactions known

(Contd. on page 4)

USA

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 04/28/2009

Reviewed on 03/05/2009

**Product name: 2-Chloroethyl methacrylate**

(Contd. of page 3)

**Dangerous products of decomposition:**  
Carbon monoxide and carbon dioxide  
Hydrogen chloride (HCl)

**11 Toxicological information****Acute toxicity:****LD/LC50 values that are relevant for classification:**

Oral	LD50	200 mg/kg (rat)
Inhalative	LC50/4H	550 mg/m <sup>3</sup> /4H (rat)

**Primary irritant effect:****on the skin:** Irritant to skin and mucous membranes.**on the eye:** Irritating effect.**Sensitization:** No sensitizing effects known.**Subacute to chronic toxicity:**

Other than potential irritation (see above), no information on illness or injury to humans from acute or chronic exposure to this product is available.

**Additional toxicological information:**

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

**12 Ecological information:****General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits.

**13 Disposal considerations****Product:****Recommendation** Consult state, local or national regulations to ensure proper disposal.**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**14 Transport information****DOT regulations:****Hazard class:**

6.1

**Identification number:**

UN2810

**Packing group:**

II

**Proper shipping name (technical name):** TOXIC LIQUID, ORGANIC, N.O.S. (2-Chloroethyl methacrylate)**Label**

6.1

**Land transport ADR/RID (cross-border)****ADR/RID class:**

6.1 (T1) Toxic substances

**Danger code (Kemler):**

60

**UN-Number:**

2810

**Packaging group:**

II

(Contd. on page 5)

USA

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 04/28/2009

Reviewed on 03/05/2009

**Product name: 2-Chloroethyl methacrylate**

(Contd. of page 4)

**Description of goods:** 2810 TOXIC LIQUID, ORGANIC, N.O.S. (2-Chloroethyl methacrylate)

**Maritime transport IMDG:**

**IMDG Class:** 6.1  
**UN Number:** 2810  
**Label:** 6.1  
**Packaging group:** II  
**EMS Number:** F-A, S-A  
**Proper shipping name:** TOXIC LIQUID, ORGANIC, N.O.S. (2-Chloroethyl methacrylate)

**Air transport ICAO-TI and IATA-DGR:**

**ICAO/IATA Class:** 6.1  
**UN/ID Number:** 2810  
**Label:** 6.1  
**Packaging group:** II  
**Proper shipping name:** TOXIC LIQUID, ORGANIC, N.O.S. (2-Chloroethyl methacrylate)

UN "Model Regulation": UN2810, TOXIC LIQUID, ORGANIC, N.O.S., 6.1, II

**15 Regulations****Product related hazard informations:****Hazard symbols:**

T Toxic

**Risk phrases:**

23/25 Toxic by inhalation and if swallowed.  
 36/37/38 Irritating to eyes, respiratory system and skin.

**Safety phrases:**

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 36/37 Wear suitable protective clothing and gloves.  
 45 In case of accident or if you feel unwell, seek medical advice immediately.

**National regulations**

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.  
 All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

**Information about limitation of use:** For use only by technically qualified individuals.**16 Other information:**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

**Department issuing MSDS:** Health, Safety and Environmental Department.**Contact:** Zachariah Holt**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
 ICAO: International Civil Aviation Organization

(Contd. on page 6)

USA

**Material Safety Data Sheet**  
acc. to OSHA and ANSI

Printing date 04/28/2009

Reviewed on 03/05/2009

**Product name: 2-Chloroethyl methacrylate**

(Contd. of page 5)

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
HMIS: Hazardous Materials Identification System (USA)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent

USA