

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Glacial acetic acid

Product Number : A9967  
Brand : Sigma-Aldrich

Supplier : Sigma-Aldrich  
3050 Spruce Street  
SAINT LOUIS MO 63103  
USA

Telephone : +1 800-325-5832  
Fax : +1 800-325-5052  
Emergency Phone # (For both supplier and manufacturer) : (314) 776-6555

Preparation Information : Sigma-Aldrich Corporation  
Product Safety - Americas Region  
1-800-521-8956

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

##### OSHA Hazards

Combustible Liquid, Target Organ Effect, Corrosive

##### Target Organs

Teeth., Kidney

##### Other hazards which do not result in classification

Lachrymator.

##### GHS Classification

Flammable liquids (Category 3)  
Acute toxicity, Oral (Category 5)  
Acute toxicity, Inhalation (Category 3)  
Acute toxicity, Dermal (Category 4)  
Skin corrosion (Category 1A)  
Serious eye damage (Category 1)  
Skin sensitization (Category 1)  
Acute aquatic toxicity (Category 3)

##### GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H226 Flammable liquid and vapour.  
H303 May be harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H331 Toxic if inhaled.  
H402 Harmful to aquatic life.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor/ physician.

**HMIS Classification**

**Health hazard:** 3  
**Chronic Health Hazard:** \*  
**Flammability:** 2  
**Physical hazards:** 0

**NFPA Rating**

**Health hazard:** 3  
**Fire:** 2  
**Reactivity Hazard:** 0

**Potential Health Effects**

**Inhalation** May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.  
**Skin** Causes skin burns.  
**Eyes** Causes eye burns. Causes severe eye burns.  
**Ingestion** May be harmful if swallowed.

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Synonyms : Acetic acid  
Glacial acetic acid

Formula : C<sub>2</sub>H<sub>4</sub>O<sub>2</sub>  
Molecular Weight : 60.05 g/mol

| Component          |              | Concentration |
|--------------------|--------------|---------------|
| <b>Acetic acid</b> |              |               |
| CAS-No.            | 64-19-7      | -             |
| EC-No.             | 200-580-7    |               |
| Index-No.          | 607-002-00-6 |               |

---

**4. FIRST AID MEASURES**

**General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

**If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In case of skin contact**

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

**In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

**If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

---

**5. FIREFIGHTING MEASURES**

**Conditions of flammability**

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

**Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Special protective equipment for firefighters**

Wear self contained breathing apparatus for fire fighting if necessary.

**Hazardous combustion products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides

**Further information**

Use water spray to cool unopened containers.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions**

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

**Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**Methods and materials for containment and cleaning up**

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

**Conditions for safe storage**

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

| Components  | CAS-No.   | Value | Control parameters | Basis  |
|-------------|---|-------|--------------------|--|
| Acetic acid | 64-19-7   | TWA   | 10 ppm             | USA. ACGIH Threshold Limit Values (TLV)  |
| Remarks     | Eye & Upper Respiratory Tract irritation Pulmonary function |       |                    |  |
|             |   | STEL  | 15 ppm             | USA. ACGIH Threshold Limit Values (TLV)  |
|             | Eye & Upper Respiratory Tract irritation Pulmonary function |       |                    |  |
|             |   | TWA   | 10 ppm<br>25 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000                    |
|             |   | TWA   | 10 ppm<br>25 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
|             | The value in mg/m3 is approximate.                          |       |                    |  |
|             |   | TWA   | 10 ppm<br>25 mg/m3 | USA. NIOSH Recommended Exposure Limits   |
|             |   | ST    | 15 ppm<br>37 mg/m3 | USA. NIOSH Recommended Exposure Limits   |

## Personal protective equipment

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm

Break through time: 480 min

Material tested: Butoject® (KCL 897 / Aldrich Z677647, Size M)

#### Splash protection

Material: Nature latex/chloroprene

Minimum layer thickness: 0.6 mm

Break through time: 30 min

Material tested: Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374  
If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

|        |            |
|--------|------------|
| Form   | liquid     |
| Colour | colourless |

### Safety data

|                              |   |
|------------------------------|---|
| pH                           | 2.4 at 60.05 g/l                              |
| Melting point/freezing point | Melting point/range: 16.2 °C (61.2 °F) - lit. |
| Boiling point                | 117 - 118 °C (243 - 244 °F) - lit.            |
| Flash point                  | 40.0 °C (104.0 °F) - closed cup               |
| Ignition temperature         | 485 °C (905 °F)                               |
| Auto-ignition temperature    | 485.0 °C (905.0 °F)                           |
| Lower explosion limit        | 4 %(V)  |
| Upper explosion limit        | 19.9 %(V)                                     |

|   |   |
|---|---|
| Vapour pressure                           | 73.3 hPa (55.0 mmHg) at 50.0 °C (122.0 °F)<br>15.2 hPa (11.4 mmHg) at 20.0 °C (68.0 °F) |
| Density                                   | 1.049 g/cm <sup>3</sup> at 25 °C (77 °F)  |
| Water solubility                          | completely miscible   |
| Partition coefficient:<br>n-octanol/water | log Pow: -0.17  |
| Relative vapor<br>density                 | no data available   |
| Odour                                     | pungent   |
| Odour Threshold                           | no data available   |
| Evaporation rate                          | no data available   |

---

## 10. STABILITY AND REACTIVITY

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

no data available

### Conditions to avoid

Heat, flames and sparks.

### Materials to avoid

Oxidizing agents, Soluble carbonates and phosphates, Hydroxides, Metals, Peroxides, permanganates, e.g. potassium permanganate, Amines, Alcohols

### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides  
Other decomposition products - no data available

---

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

#### Oral LD50

LD50 Oral - rat - 3,310 mg/kg

#### Inhalation LC50

LC50 Inhalation - mouse - 1 h - 5620 ppm

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Conjunctive irritation. Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Other. Blood:Other changes.

LC50 Inhalation - rat - 4 h - 11.4 mg/l

#### Dermal LD50

LD50 Dermal - rabbit - 1,112 mg/kg

#### Other information on acute toxicity

no data available

### Skin corrosion/irritation

no data available

### Serious eye damage/eye irritation

Eyes - rabbit - Corrosive to eyes

### Respiratory or skin sensitization

May cause sensitization by skin contact.

### Germ cell mutagenicity

no data available

### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

no data available

### Teratogenicity

no data available

### Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

### Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

### Aspiration hazard

no data available

### Potential health effects

|                   |   |
|-------------------|---|
| <b>Inhalation</b> | May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. |
| <b>Ingestion</b>  | May be harmful if swallowed.  |
| <b>Skin</b>       | Causes skin burns.  |
| <b>Eyes</b>       | Causes eye burns. Causes severe eye burns.  |

### Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Ingestion or inhalation of concentrated acetic acid causes damage to tissues of the respiratory and digestive tracts. Symptoms include: hematemesis, bloody diarrhea, edema and/or perforation of the esophagus and pylorus, pancreatitis, hematuria, anuria, uremia, albuminuria, hemolysis, convulsions, bronchitis, pulmonary edema, pneumonia, cardiovascular collapse, shock, and death. Direct contact or exposure to high concentrations of vapor with skin or eyes can cause: erythema, blisters, tissue destruction with slow healing, skin blackening, hyperkeratosis, fissures, corneal erosion, opacification, iritis, conjunctivitis, and possible blindness., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### Synergistic effects

no data available

### Additional Information

RTECS: AF1225000

---

## 12. ECOLOGICAL INFORMATION

### Toxicity

|   |   |
|---|---|
| Toxicity to fish                                    | semi-static test LC50 - <i>Oncorhynchus mykiss</i> (rainbow trout) - > 1,000 mg/l - 96 h<br>Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | EC50 - <i>Daphnia magna</i> (Water flea) - > 300.82 mg/l - 48 h<br>Method: OECD Test Guideline 202                          |

### Persistence and degradability

Biodegradability aerobic  
Result: 99 % - Readily biodegradable.  
Remarks: Expected to be biodegradable

**Bioaccumulative potential**

no data available

**Mobility in soil**

no data available

**PBT and vPvB assessment**

no data available

**Other adverse effects**

Biochemical Oxygen Demand (BOD) 880 mg/g

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

Additional ecological information no data available

---

**13. DISPOSAL CONSIDERATIONS**

**Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

**Contaminated packaging**

Dispose of as unused product.

---

**14. TRANSPORT INFORMATION**

**DOT (US)**

UN number: 2789 Class: 8 (3) Packing group: II  
Proper shipping name: Acetic acid, glacial  
Reportable Quantity (RQ): 5000 lbs  
Marine Pollutant: No  
Poison Inhalation Hazard: No

**IMDG**

UN number: 2789 Class: 8 (3) Packing group: II EMS-No: F-E, S-C  
Proper shipping name: ACETIC ACID, GLACIAL  
Marine Pollutant: No

**IATA**

UN number: 2789 Class: 8 (3) Packing group: II  
Proper shipping name: Acetic acid, glacial

---

**15. REGULATORY INFORMATION**

**OSHA Hazards**

Combustible Liquid, Target Organ Effect, Corrosive

**SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**SARA 311/312 Hazards**

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components**

Acetic acid

CAS-No.  
64-19-7Revision Date  
2007-03-01**Pennsylvania Right To Know Components**

Acetic acid

CAS-No.  
64-19-7Revision Date  
2007-03-01**New Jersey Right To Know Components**

Acetic acid

CAS-No.  
64-19-7Revision Date  
2007-03-01**California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

**16. OTHER INFORMATION****Further information**

Copyright 2013 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

---